



MEHERRIN RIVER REGIONAL JAIL

Serving the following
Localities:
Brunswick County
Dinwiddie County
Mecklenburg County

Crystal L. Willett
Superintendent

9000 Boynton Plank Road
Alberta, VA 23821
(434) 949-6700
(434) 949-0180 Fax

The Prison Rape Elimination Act (PREA) of 2003 is a federal law established to support the elimination and prevention of sexual assault and sexual misconduct in correctional systems. PREA addresses both inmate-to-inmate sexual assault and staff-to-inmate sexual assault. The Meherrin River Regional Jail fully supports the guidelines set forth in this law and has ZERO-TOLERANCE for any and all incidents of sexual assault and sexual misconduct in accordance with the Prison Rape Elimination Act of 2003.

This report provides a comparison of incidents in 2017 - 2019 and will be utilized by the PREA Coordinator to identify problem areas and formulate corrective measures in efforts of reducing future incidents of sexual abuse.


In accordance with PREA, all investigations are assigned one of three possible determinations:

Substantiated – an allegation which was investigated and determined to have occurred.

Unsubstantiated – an allegation which provided insufficient evidence to make a final determination of a substantiated or unfounded claim.

Unfounded – an allegation which was investigated and determined not to have occurred.

In 2019, there were 8 allegations for the Alberta facility and 0 allegations for the Mecklenburg facility. The chart below is for 2017-2019 allegations.





MEHERRIN RIVER REGIONAL JAIL

Serving the following
Localities:
Brunswick County
Dinwiddie County
Mecklenburg County

Crystal L. Willett
Superintendent

9000 Boynton Plank Road
Alberta, VA 23821
(434) 949-6700
(434) 949-0180 Fax

In 2019, there were 8 allegations at the Alberta facility; 7 allegations were staff to inmate and 1 allegation was inmate to inmate. Due to the investigative efforts of MRRJ, all 8 investigations were concluded and deemed unfounded. There were 0 at the Mecklenburg facility.

Corrective Measures: In 2019, the facility continued to upgrade the electronic monitoring system which expands our capacity to review film footage of inmate actions and staff actions. 1 camera was added to the intake medical area and 1 to the laundry area. 9 other cameras were added to the administration as well. There were no additions at the Mecklenburg facility due to the fact that there are mainly inmate workers and inmates participating in work release.


Meherrin River Regional Jail makes every effort for reducing and/or eliminating staff on inmate and inmate on inmate sexual abuse and sexual harassment. This will be done by continuous inmate education along with staff training. This was validated by MRRJ's results with the Alberta and Mecklenburg facility successfully retaining PREA certification in 2017 with no corrective measures deemed necessary. Meherrin River Regional Jail has continued expectations of successfully retaining PREA certification without corrective action being necessary.




John Lucy
Captain of Security
PREA Coordinator



Date



Crystal Willett
Superintendent



Date